

---

# **Rectangular Concrete Manure Storages**

MWPS-36  
SECOND  
EDITION

FREDERICK WM KOENIG, P.E.  
JAY RUNESTAD, P.E.



Copyright© 2005, MidWest Plan Service

All rights reserved. Second edition.

This book may not be reproduced, in whole or in part, including illustrations, in any form without permission from the publishers.

Designed by Kathy J. Walker

MidWest Plan Service  
122 Davidson Hall  
Iowa State University, Ames, Iowa 50011-3080

For additional copies of this publication and a free catalog of other agricultural publications, call 1-800-562-3618 or visit our website at: [www.mwps.org](http://www.mwps.org)

ISBN 0-89373-099-8

#### *Reviewers*

Don Labate, P.E., Civil Engineer,

Iowa Department of Natural Resources

Terry Feldmann, P.E., Agricultural Engineer,

Maurer-Stutz, Inc.

Neal Struthers, EIT, Iowa Civil Engineer,

Natural Resources Conservation Service

Amy M. Schmidt, P.E., Extension Agricultural Engineer,

University of Missouri

Jun Zhu, PhD, EIT, Associate Professor and Extension

Engineer, University of Minnesota

Chuck Clanton, P.E., P.S.S., Professor of Biosystems and

Agricultural Engineering, University of Minnesota

Ted Funk, P.E., Assistant Professor and Extension Specialist,

Agricultural and Biological Engineering,

University of Illinois

Mark Pearson, P.E., Minnesota State Conservation Engineer,

Natural Resources Conservation Service

#### *Authors*

Frederick Wm Koenig, P.E., MWPS Engineer,

Iowa State University

Jay Runestad, P.E., Retired Executive Director,

North Central Cement Promotion Association

*. . . And Justice for All.*

MidWest Plan Service does not discriminate on the basis of race, color, age, religion, national origin, sexual orientation, sex, marital status, disability, or status as a U.S. Vietnam Era Veteran. Any persons having inquiries concerning this may contact the Director of Equal Opportunity and diversity, 515 294-7612.

---

# Contents

	<b>Preface</b>	<b>1</b>
Chapter 1	<b>Background Information</b>	<b>3</b>
	Safety Precautions	3
	Storage Size and Other Features	4
	Retaining the Services of a Consulting Engineer	5
	Insurance	5
Chapter 2	<b>Basic Design Criteria</b>	<b>7</b>
	General Design	7
	Soil Loads on Walls and Wall Top Support	8
	Vehicle and Additional Live Loads	10
	Tank Tops and Slats	10
	Beams and Columns	11
	Floors	11
	Footings	12
Chapter 3	<b>Planning and Design</b>	<b>13</b>
	Designing the Tank	14
	Walls	14
	Wall Top Support	16
	Tank Tops	18
	Tank Openings	19
	Slats	22
	Beams	24
	Columns	24
	Floors	26
	Footings	27
	Excavating, Tiling, and Backfilling	30
Chapter 4	<b>Examples</b>	<b>33</b>
	Example 4-1: Rectangular Tank with Slats, Beams, and Columns	33
	Example 4-2: Rectangular Tank with Concrete Top	36
	Example 4-3: Rectangular Tank with Opening in Top	38
	Example 4-4: Rectangular Tank with Concrete Top and Vehicle Loads	40

Appendix A	<b>General Concrete</b>	<b>43</b>
	General Properties	43
	Compressive Strength	43
	Consistency	43
	Durability	44
	Freezing and thawing	44
	Sulfate	45
	Concrete Components	45
	Portland Cement	45
	Water	46
	Aggregates	46
	Admixtures	46
	Construction	46
	Forms	47
	Joints	47
	Placing	48
	Walls	48
	Slabs	48
	Finishing	48
	Curing	49
	Backfill	49
	Cold Weather Precautions	49
	Hot Weather Precautions	49
	Tilt-up Concrete	49
Appendix B	<b>Design Aids</b>	<b>51</b>
Appendix C	<b>Design Equations</b>	<b>65</b>
	Design Strength Equations	65
	Loading Conditions	65
	Tank Walls	66
	Wall Top Beams	67
	Tops	67
	Beams and Slats	67
	Columns	68
	Floors	68
	Footings	68
	Maximum Allowable Load Equations	70
	Bar Spacing	72
	Cover	72
Appendix D	<b>Wall Top Beam Designs</b>	<b>73</b>
	<b>Nomenclature</b>	<b>79</b>
	<b>Index</b>	<b>81</b>
	<b>References and Resources</b>	<b>83</b>

---

# Figures

Chapter 1	<b>Background Information</b>	
	Figure 1-1. Danger sign warning of manure gases.	3
Chapter 2	<b>Basic Criteria</b>	
	Figure 2-1. Reinforced concrete wall, top, slat, and beam variables.	8
	Figure 2-2. Manure tank design assumptions.	8
	Figure 2-3. Selecting soil for design lateral loads.	9
	Figure 2-4. Gang slat design.	11
Chapter 3	<b>Planning and Design</b>	
	Figure 3-1. Wall construction joint.	15
	Figure 3-2. Partition wall.	16
	Figure 3-3. Corner construction detail.	16
	Figure 3-4. Beam pocket.	17
	Figure 3-5. Pumpout port for 8-foot deep tank.	17
	Figure 3-6. Tank walls laterally braced at the top using wall top beams.	18
	Figure 3-7. Manure tank with sidewalk beams and drive apron.	18
	Figure 3-8. One-way slab top connection to the wall for cast-in-place top.	19
	Figure 3-9. Top slot opening for scraping.	21
	Figure 3-10. Sidewall opening for scraping.	21
	Figure 3-11. Slat dimensions.	22
	Figure 3-12. Gang slat loading.	22
	Figure 3-13. Supporting sidewalls with reinforced concrete slats.	22
	Figure 3-14. Load area affecting beams.	24
	Figure 3-15. Shear reinforcing for beams.	24
	Figure 3-16. Load area affecting columns.	24
	Figure 3-17. Reinforced concrete columns and footing.	26
	Figure 3-18. Floor construction joint.	27
	Figure 3-19. Locating steel in the floor.	27
	Figure 3-20. Unreinforced wall footing construction.	30
	Figure 3-21. Slope excavation.	31
	Figure 3-22. Backfill.	31
	Figure 3-23. Drain tile placement.	31
Chapter 4	<b>Examples</b>	
	Figure 4-1. Rectangular tank with slats, beams, and columns.	35
	Figure 4-2. Rectangular tank with concrete top.	37
	Figure 4-3. Rectangular tank with opening in top.	39
	Figure 4-4. Rectangular tank with concrete top and vehicle loads.	41

---

Appendix A	<b>General Concrete</b>	
	Figure A-1.	Concrete slump. 44
	Figure A-2.	Aggregate size in relationship to volume. 46
	Figure A-3.	Dimensions for a cubic yard. 47
	Figure A-4.	Vibrate each new lift. 48
Appendix B	<b>Design Aids</b>	
	Figure B-1.	Basic reinforcing steel design lengths. 51
	Figure B-2.	Perimeter, areas and volumes. 54
	Figure B-3.	Typical bar identification markings. 54
	Figure B-4.	Record of design decisions for open top rectangular tanks. 55
	Figure B-5.	Record of design decisions for rectangular tanks with slats. 56
	Figure B-6.	Record of design decisions for rectangular tanks with slats, beams, and columns. 57
	Figure B-7.	Record of design decisions for rectangular tanks with slats and partition wall. 58
	Figure B-8.	Record of design decisions for rectangular tanks with concrete top. 59
	Figure B-9.	Record of design decisions for rectangular tanks with concrete top and partition wall. 60
	Figure B-10.	Record of design decisions for endwall beams. 61
	Figure B-11.	Record of design decisions for partition beams. 61
	Figure B-12.	Record of design decisions for sidewalk beams. 61
	Figure B-13.	Record of design decisions for sidewalk beams with aprons. 62
	Figure B-14.	Record of design decisions for openings in tank tops. 62
	Figure B-15.	Record of design decisions for openings in tank sidewalls. 63

---

# Tables

Chapter 2	<b>Basic Criteria</b>	
	Table 2-1.	General design data. 7
	Table 2-2.	Lateral earth pressures on manure tank walls. 9
	Table 2-3.	Design vehicular loads for tank tops. 10
	Table 2-4.	Recommended manure tank top and slat live loads. 10
Chapter 3	<b>Planning and Design</b>	
	Table 3-1.	Vertical steel reinforcement for concrete tank walls with vehicle loads. 14
	Table 3-2.	Vertical steel reinforcement for concrete tank walls with NO vehicle loads. 15
	Table 3-3.	Minimum horizontal steel in walls. 16
	Table 3-4.	Minimum steel in slabs and tops. 19
	Table 3-5.	Minimum flexural reinforcing for cast-in-place tank tops with NO vehicle traffic. 19
	Table 3-6.	Minimum flexural reinforcing for cast-in-place tank tops with 5-ton axle load. 20
	Table 3-7.	Allowable uniform live loads on non-manufactured, cast-in-place, non-prestressed concrete slats. 23
	Table 3-8.	Recommend slot and slat widths. 24
	Table 3-9.	Allowable loads on cast-in-place beams (plf). 25
	Table 3-10.	Dead load of slotted floors (psf). 25
	Table 3-11.	Reinforced concrete columns. 26
	Table 3-12.	Minimum floor slab thickness (inches). 27
	Table 3-13.	Spacing for steel reinforcing in floor slabs (inches on-center). 27
	Table 3-14.	Plain wall footings for rectangular tanks. 28
	Table 3-15.	Plain square concrete column footings. 28
	Table 3-16.	Reinforced concrete column footings. 29
Appendix A	<b>General Concrete</b>	
	Table A-1.	Minimum strength requirements for durability. 44
	Table A-2.	Concrete rules-of-thumb. 44
	Table A-3.	Recommended maximum slump (inches). 45
	Table A-4.	Aggregate size and air-entrainment. 45
Appendix B	<b>Design Aids</b>	
	Table B-1.	Basic reinforcing steel design information. 52
	Table B-2.	Steel area based on number of bars (square inches). 52
	Table B-3.	Equivalent bar spacings. 52
	Table B-4.	Standard wire reinforcement. 53

---

Appendix D **Wall Top Beam Designs**

Table D-1.	Wall top beams with NO vehicle load applied.	74
Table D-2.	Wall top beams with vehicle load applied.	76
Table D-3.	Maximum number of bars per layer.	77

---

# Equations

## Appendix C Design Equations

Equation C-1. Moment for walls, wall top beams, slats, tank tops, and slabs (ACI 318 Sections 9.2 and 10).	65
Equation C-2. Shear for walls, wall top beams, slats, tank tops, and slabs (ACI 318 Sections 11.3.1.1 and 11.5.5.1).	65
Equation C-3. Axial loading for round columns (ACI 318 Section 10.3.5.1).	65
Equation C-4. Axial loading for square columns with a maximum unsupported column length (ACI 318 Section 10.12.2).	65
Equation C-5. Axial loading for square columns (ACI 318 Section 10.3.5.2).	65
Equation C-6. Axial loading for round columns with a maximum unsupported column length (ACI 318 Section 10.12.2).	65
Equation C-7. Largest end shear for a linearly increasing or decreasing load on a beam.	65
Equation C-8. Smallest end shear for a linearly increasing or decreasing load on a beam.	65
Equation C-9. Maximum moment for a linearly increasing or decreasing load on a beam.	65
Equation C-10. Shear for a uniformly loaded beam.	66
Equation C-11. Maximum moment for a uniformly loaded beam.	66
Equation C-12. Bottom tank wall shear.	66
Equation C-13. Top tank wall shear.	66
Equation C-14. Maximum tank wall moment.	66
Equation C-15. Shear created by vehicle load.	66
Equation C-16. Maximum moment created by vehicle load.	67
Equation C-17. Wall top beam shear due to soil loads.	67
Equation C-18. Wall top beam maximum moment due to soil loads.	67
Equation C-19. Wall top beam shear due to vehicle loads.	67
Equation C-20. Wall top beam maximum moment due to vehicle loads.	67
Equation C-21. Maximum moment due to vehicle loads on tank top (AASHTO Standard Section 3.24.3.1).	67
Equation C-22. Maximum moment due to vehicle loads and weight of the concrete tank top.	67
Equation C-23. Maximum moment due to vehicle loads, live load, and weight of the concrete tank top.	67
Equation C-24. Axial loading of a reinforced column.	68
Equation C-25. Eccentricity loading limit for a square column.	68
Equation C-26. Eccentricity loading limit for a round column.	68
Equation C-27. Subgrade drag theory.	68
Equation C-28. Plain column footing width.	68
Equation C-29. Plain square footing thickness for square columns using 3,000 to 4,000 psi concrete.	68
Equation C-30. Estimated reinforced square width for column footing.	69

---

Equation C-31. Soil reaction to the factored load.	69
Equation C-32. Wide beam shear (ACI 318 Section 11.12.2.1).	69
Equation C-33. Two-way action shear for square footings with square columns (ACI 318 Section 11.12.2.1).	69
Equation C-34. Moment at the column face.	69
Equation C-35. Reinforcement ratio for the gross footing area.	69
Equation C-36. Reinforcement ratio for the gross footing area.	69
Equation C-37. Tank with no vehicle loads.	70
Equation C-38. Tank wall with vehicle surcharge load equivalent to 2 feet of uniform soil load.	70
Equation C-39. Top wall beams with no vehicle loads.	70
Equation C-40. Top wall beams with vehicle surcharge load equivalent to 2 feet of uniform soil load.	70
Equation C-41. Tank tops with no vehicle loads, shear limiting.	70
Equation C-42. Tank tops with no vehicle loads, bending limiting.	71
Equation C-43. Tank tops with vehicle loads.	71
Equation C-44. Slats, shear limiting.	71
Equation C-45. Slats, bending limiting.	71
Equation C-46. Beams, shear limiting.	71
Equation C-47. Beams, bend limiting.	71
Equation C-48. Maximum spacing of reinforcement closest to a surface in tension.	72